

CORRIGENDUM -II

INDIAN COAST GUARD HEADQUARTERS
NATIONAL STADIUM COMPLEX NEW DELHI – 110 001

CGHQ/LT/2409/2018-19

18 Feb 19

RFP No. : CGHQ/LT/2409/2018-19 dated 24 Dec 18.

1. In continuation to publishing of above RFP in CPP portal/CG Website for procurement of Truck Fire Fighting (Larger) MK-VI. Following amendments are required to be made in the relevant paras of ibid RFP:-

(a) **Para 1 of Corrigendum dated 23 Jan 19 (CRITICAL DATE SHEET)**

For

SL.NO.	DESCRIPTION	DATE & TIME
(g)	Bid Document Download / Sale End Date	15 Feb 19 (1500 HRS)
(h)	Bid Submission End Date	18 Feb 19 (1230 HRS)
(j)	Technical Bid Opening Date	25 Feb 19 (1500 HRS)

Read

SL.NO.	DESCRIPTION	DATE & TIME
(g)	Bid Document Download / Sale End Date	11 Mar 19 (1100 HRS)
(h)	Bid Submission End Date	11 Mar 19 (1700 HRS)
(j)	Technical Bid Opening Date	15 Mar 19 (1500 HRS)

(b) **Part II Clause No.1,4(q), 4(k) & Part V Clause 2.**

For : IND/CQAFE/PROV/0195(b): ISSUE 2011.

Read : IND/CQAFE/0195(c): Issue 2018.

(c) **Part II Clause No. 2.**

For : 07(Seven) Truck Fire Fighting Large MK-VI as per CQA (FE) Pune IND/CQAFE/PROV/0195(b): ISSUE 2011 dated 16 Nov 18. Technical Compliance Matrix as per the above Specifications and Vendor compliance evaluation matrix are attached as **Appendix A, B & D.**

Read: 07(Seven) Truck Fire Fighting Large MK-VI as per CQA (FFE) Pune IND/CQAFE/0195(c): Issue 2018 dated 11 Feb 18. Technical Compliance Matrix as per the above Specifications and Vendor compliance evaluation matrix are attached as **Appendix A, B & D.**

(d) **Part II Clause No. 4 (c),(d) & (n).**

For :

(c) The governing specification for super structure can be obtained from CQAFE, Pune on payment of either by cash or by DD drawn on any Nationalised Bank payable at Pune in favor of Controller, CQAFE, Aundh Camp, Pune – 411027.

(d) The governing specifications for Truck Fire Fighting Large MK-VI (specification no. IND/CQAFE/PROV/0195(b): ISSUE 2011) can be obtained from CQA(V) Ahmednagar on payment.

(n) Accepted Pilot sample will be retained for guidance in QA/Production of bulk till acceptance of last Truck Fire Fighting.

Read :

(c) The governing specifications for Truck Fire Fighting Large MK-VI (specification no. IND/CQAFE/0195(c): Issue 2018) can be obtained from The Controller, CQAFE, Aundh Camp, Pune – 411027.

(d) The governing specifications for Truck Fire Fighting Large MK-VI (specification no. IND/CQAFE/0195(c): Issue 2018) can be obtained from CQA(V) Ahmednagar.

(n) Accepted Advance sample will be retained for guidance in QA/Production of bulk till acceptance of last Truck Fire Fighting.

(e) **Part II Clause No. 4 (i).**

For: Three complete set of drawings showing Technical specification of material, dimensions & all relevant details of General Assembly, Super structure, Water Tank, Foam Tank, Sub frame, Monitor Assembly, proportionate assemble, First and hose reel assembly, pump assembly, primer assembly, Heat exchanger, layout of accessories, pipe line shaft from PTO to pump, CO2 and DCP mountings, flow diagrams etc. will be submitted by the firm to **CQA (FFE), Pune within 30 days of the receipt of Supply Order** for approval as per clause 1.12 of specification **IND/CQAFE/PROV/0195(b):ISSUE 2011**. Similarly, drawings applicable to be submitted by the firm to CQAFE within 30 days of the receipt of Supply Order for approval.

Read: Three complete set of drawings showing Technical specification of material, dimensions & all relevant details of General Assembly, Super structure, Water Tank, Foam Tank, Sub frame, Monitor Assembly, proportionator assembly, First and hose reel assembly, pump assembly, primer assembly, Heat exchanger, layout of accessories, pipe lines, valves, shaft from PTO to pump, CO2 and DCP mountings, flow diagrams etc. will be submitted by the firm to **CQA (FFE), Pune within 30 days of the receipt of Supply Order** for approval as per clause 1.10 of specification IND/CQAFE/0195(c): Issue 2018. Similarly, drawings applicable to be submitted by the firm to CQAFE within 30 days of the receipt of Supply Order for approval.

(f) **Appendix A Serial No 28(ii).**

For : The foam discharge shall not be less than 1680 Imp through a combination of monitor and two side lines at 7 Kg/Cm² or 1120 Imp through monitor alone.

Read: The foam discharge shall not be less than 16800 Imp through a combination of monitor and two side lines at 7 Kg/Cm² or 11200 Imp through monitor alone.

(g) **Part II Clause No. 6 (a),(b) & note(b).**

For:

- (a) **If Pilot Sample applicable.**
(b) **If Pilot Sample not Applicable.**

Note.(b) Pilot sample will not be required if the product has been cleared by AHSP and the same will be finalized during the TNC.

Read:

- (a) **If Advance Sample applicable.**
(b) **If Advance Sample not Applicable.**

Note. (b) Advance sample will not be required if the product has been cleared by AHSP.

(h) **Appendix A Serial No 1.**

For : Chassis: TATA 1613 TCIC BS-4 (42/Cowl) or Ashok Leyland Chassis 1618 BS-4/any equivalent chassis introduced into service.

Read: Chassis: TATA LPT 1615/TC-42,4x4 or Ashok Leyland 1616i14x2/any equivalent chassis introduced into service.

(j) **Appendix A Serial No 11.**

For : The appliance shall have a standard towing hook for towing a one ton trailer.

Read: The Truck shall have a standard towing hook for towing a one ton trailer.

(k) **Appendix A Serial No 23(i).**

For : A single/double stage pump has to be mounted at the rear of the appliance.

Read: A single/double stage pump has to be mounted at the rear of the Truck.

(m) **Appendix A Serial No 29.**

For : Hand Lines:- There have to be two delivery connections on either side of appliance.

Read: Hand Lines:- There have to be two delivery connections on either side of Truck.

(n) **Appendix A Serial No 32(i),(iii) &(iv).**

For :


- (i) Locker with rolling type shutter type has to be provided for stowage all the accessories.

- (ii) There has to be tool box for carrying all normal tools carried on the appliance.
- (iv) There has to be bell in the drive's cabin for signal from rear pump control panel to driver.

Read:

- (i) Lockers, with hinged type doors, shall be provided for stowage of all the accessories as per the list of appendix 'A'
- (ii) A suitable box shall be provided for carrying all normal tools.
- (iv) A bell shall be provided in the drivers cabin to send signal to the drivers by pressing a switch from rear control panel

2. All other terms & condition of above mentioned RFP will remain unchanged.


(Nupur Kulshrestha)
Commandant
Joint Director (Log-MT)
for Director General

18 Feb 19