

Bid Number: GEM/2019/B/476095 Dated: 24-12-2019

| Bid   | Document  |  |
|---|---|--|
| Bi  | d Details   |  |
| Bid End Date/Time   | 14-01-2020 12:00:00   |  |
| Bid Life Cycle (From Publish Date)                        | 90 (Days)   |  |
| Bid Offer Validity (From End Date)                        | 45 (Days)   |  |
| Ministry/State Name                                       | Ministry Of Defence   |  |
| Department Name   | Department Of Defence   |  |
| Organisation Name   | Indian Coast Guard  |  |
| Office Name   | Directorate Of Logistics Indian Coast Guard Hq  |  |
| Total Quantity  | 3   |  |
| Item Category   | forklifts   |  |
| OEM Average Turnover (Last 3 Years)                       | 100 Lakh (s)  |  |
| MSE Exemption For Years Of Experience And Turnover        | No  |  |
| Startup Exemption For Years Of Experience<br>And Turnover |   |  |
| Document required from seller                             | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |  |
| Past Performance  | 50 %  |  |
| Bid to RA enabled   | No  |  |

## **EMD Detail**

| State Bank of India |      |
|---------------------|------|
| 2.00 +              |      |
| 56010               |      |
|                     | 2.00 |

### ePBG Detail

| 6LDO Derail                         |                     |  |
|-------------------------------------|---------------------|--|
| Advisory Bank                       | State Bank of India |  |
| ePBG Percentage(%)                  | 10.00               |  |
| Duration of ePBG required (Months). | 5                   |  |



- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### Beneficiary:

Commanding Officer
Directorate Of Logistics Indian Coast Guard Hq, Department of Defence, Indian Coast Guard,
Ministry of Defence
(Icgs Delhi)

#### Splitting

Bid splitting not applied.

- 1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Forklifts (3 pieces)

**Technical Specifications** 

\* As per GeM Category Specification

SpecificationSpecification NameValuesBid Requirement (Allowed Values)GENERICConformity to Indian StandradIS: 6765-2003 latest\*Operating ModeDiesel Engine OperatedDiesel Engine Operated



|                | Rated Capacity at<br>Standard Lift Height<br>and Load Centre<br>(Kg) | 3000                             | 1000, 2000, 3000,<br>4000, 5000, 6000   |
|----------------|--|----------------------------------|---|
|                | Transmission   | automatic                        | automatic   |
|                | Type of Drive  | double                           | double  |
|                | Rating of Traction<br>Battery (KW/H)                                 | NA for Diesel Engine<br>operated | for 1000 Kg capacity, battery operated Forklift ≥15.9 KW/H, for 2000 Kg capacity, battery operated Forklift ≥ 21.2 KW/H, for 3000 Kg capacity, battery operated Forklift ≥ 24.7 KW/H, NA for Diesel Engine operated |
| CONSTRUCTIONAL | Type of Motor  | NA for engine operated           | AC, DC, NA for engine operated  |
|                | Engine Capacity<br>(BHP@rpm)   | 48                               | Any applicable numeric value  |
|                | Rated RPM  | 2200                             | Any applicable numeric value  |
|                | Engine Torque<br>Nm@rpm  | 200                              | Any applicable numeric value  |
|                | No of Cylinders  | 4                                | *   |
|                | Engine Cubic<br>Capacity/Displacement<br>(CC)                        | 3300                             | *   |
|                | Engine Cooling<br>System   | Liquid Cooled                    | Liquid Cooled   |
|                | No of speed forward  | 2                                | *   |
|                | No of speed reverse  | 2                                | *   |
|                | ForkLift Gradeability (%)  | 28                               | Any applicable numeric value  |
|                | AC Traction Motor<br>Capacity, (Kw)                                  | NA                               | 8 kw, 12Kw, NA  |
|                | Capacity for AC<br>Motor Pump, (Kw)                                  | NA                               | 10 Kw, 12 Kw, 15 Kw,<br>NA  |
|                | AC/DC motor rating   | NA for engine operated           | for 1000 Kg capacity battery operated forklit 2.2 Kw Min, for 2000 Kg capacity battery operated forklit 7.0 Kw Min, for 3000 Kg capacity battery operated forklit 8.5 Kw Min, NA for engine operated                |

buryan

| DC motor operating voltge                         | NA for engine operated<br>& AC motor  | 36 V, 48 V, 72 V, 80 V,<br>NA for engine operated<br>& AC motor |
|---|---|---|
| Standard load centre<br>distance                  | DH/DV for Forklift up to<br>4000 Kg 500/500mm   | DH/DV for Forklift up to<br>4000 Kg 500/500mm                   |
| Brake System                                      | Hydraulic   | Hydraulic   |
| Minimum ground<br>clearance, (mm)                 | 110   | *   |
| Lifting Stages                                    | 3   | 3 Or higher   |
| Lift Height (metres)                              | 4 to 4.5 meters   | 4 to 4.5 meters   |
| Fork arm for fork lift<br>truck                   | confirm to IS 6876<br>latest  | *   |
| Mounting dimensions for attachment                | to the extent applicable<br>IS 7525 latest  | *   |
| Make and model of offered fork lift               | TOTAL AND LOSS OF   | *   |
| Max. fork spread (mm)                             | 1485  | *   |
| Fork size (mm)                                    | 1000  | *   |
| Overall length (mm)                               | 3700  | *   |
| Overall width (mm)                                | 1610  | *   |
| Overall height raised (mm)                        | 5100  | *   |
| Collapsed Height (mm)                             | 2150  | *   |
| Free Lift Height (mm)                             | 1530  | *   |
| Wheel base shall be declared by manufacturer (mm) | 1700  | *   |
| Tyre Type   | Pneumatic   | Pneumatic, Solid  |
| Mast tilt forward (in degrees)                    | 4   | *   |
| Mast tilt backward (in degrees)                   | 6   | *   |
| Mass of Truck (Kg)                                | 4200  | Any applicable numeric value                                    |
| Forklifts instrument panel                        | NA for Diesel Engine operated †   | *   |
| Instrument Panel for<br>Diesel Operated Forklif   | Fitted with Engine oil pressure gauge, Coolant temperature gauge, engine hourmeter & fuel level gauge and switch key for starting | *   |
| Supply of spares by manufacturer atleast          | yes   | *   |

Engon

| for a period of 10 years   |                                  |                                       |
|--|----------------------------------|---------------------------------------|
| Tare weight of Forklift  | 4200                             | *                                     |
| Truck, (Kg)  | 4200                             | i i i i i i i i i i i i i i i i i i i |
| Standard tool kit  | yes                              | *                                     |
| Light reflectors   | yes                              | *                                     |
| Rear view mirror   | yes                              | *                                     |
| Fork Extension Pair  | No                               | *                                     |
| Fork Mounted Crane<br>Attachment   | No                               | *                                     |
| Carriage Mounted<br>Crane Attachment   | No                               | *                                     |
| Hydraulic Side shifter<br>Attachment   | No                               | *                                     |
| Parrot Beak attachment   | No                               | *                                     |
| Load Back Rest   | No                               | *                                     |
| Alternator shall be provided for charging the battery in case of diesel engine operated fork lift  | yes                              | *                                     |
| Suitable battery<br>charger for traction<br>batteries  | NA for Diesel Engine<br>operated | *                                     |
| Head light two<br>numbers, rear light one<br>number and signal<br>lights   | yes                              | *                                     |
| Electric Horn., parking brake, rear towing hook/towing arrangement, adjustable cushioned driver seat and driver overhead guard`with steel reinforcement at the top for | yes                              | *                                     |
| Consummables: Spare filter kit for engine oil, transmission, hydraulic oil suitable for 4 services shall be provided   | yes                              | *                                     |
| The Hydraulic Cylinders of any one of given Indian make may be used in the FLT. i) Dantal, ii) Wipro, iii)Fasto, iv)TAFE, v)Precission &                               | yes                              | *                                     |

Emgan

|               | vi)Canara or<br>equivalent.  | Hard Ditt School on    |         |
|---------------|--|------------------------|---------|
| PERFORMANCE   | Minimum Ambient<br>temperature upto<br>which engine shall be<br>able to start without<br>the aid of cold starting<br>device, (°C)  | 5                      | *       |
|               | Specific Fuel<br>Consumption (g/kwh)   |                        | *       |
| CERTIFICATION | ISI Marking  | No                     | Yes, No |
|               | BIS Licence Number   |                        | *       |
|               | Stability testing  | as per IS 4357 latest  | *       |
|               | Acceptance criteria  | as per IS 10517 latest | *       |
|               | Type approval certificate and confirmity of Production certificate from ARAI or other agency as approved by Government of India for latest smoke emmision norms  | yes                    | *       |
|               | Test Report number & Date for Hydraulic cylinder   |                        | *       |
|               | Name & address of lab<br>where Hydraulic<br>cylinder tested  |                        | *       |
|               | Availability of complete & satisfactory test Report from Central govt/ NABL/ ILAC accredited laboratory to IS10517 latest (Appendix 'A') for Motor, to IS:5154 latest for Traction Battery, to IS 10000 (1 to 12) latest and IS 10002* latest for Diesel Engines whichever applicable. | yes                    | *       |
| Chran         | Diesel Engine shall<br>conforming to IS 10000<br>(1 to 12) latest and IS<br>10002 latest   | yes                    | *       |
|               | Test certificate No. & Date  | Â                      | *       |
|               | Name & address of lab  | -                      | *       |

where test conducted

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

## Additional Specification Documents

# **Consignees/Reporting Officer and Quantity**

| S.No. | Consignee/Reporti         | Address  | Quantity | Delivery Days |
|-------|---------------------------|--|----------|---------------|
| 1     | Dharmaraj P               | 744102,THE OFFICER IN-<br>CHARGE CGRSD<br>PORTBLAIR,PANIPAT ROAD<br>,POST BOX<br>NO-716,HADDO,PORT BLAIR<br>SOUTH ANDAMAN-744102 | 2        | 90            |
| 2     | Manoranjan<br>Kumar Dubey | 400030,WORLI SEAFACE<br>WORLI PO MUMBAI 400030   | 1        | 90            |

# Special terms and conditions for category forklifts

- 1) Only bid /RA option will be available for buyer as these equipments are not standard and freight Intensive product.
- 2) Test reports if any, desired by buyer will be provided by seller at the time of supply.
- 3) Operational and maintenance contract if desired by buyer will be provided as per their requirement.
- 4) Delivery period will be 90 days (normal).
- 5) Only bid /RA option will be available for buyer as these equipments are not standard and freight Intensive product.
- 6) Test reports if any, desired by buyer will be provided by seller at the time of supply.
- 7) Operational and maintenance contract if desired by buyer will be provided as per their requirement.
- 8) Delivery period will be 90 days (normal).

# Bid Specific Additional Terms and Conditions

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances

required (if any)

- 3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 4. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6. Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 7. Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the SELLER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the SELLER. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through email about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days FOR INSPECTION from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages. Inspection and external laboratory testing charges shall be borne by the supplier and it shall not be reimbursed by Buyer to them at any point in time. Cost of inspection / testing shall be factored in by the supplier in the cost of the product itself while submitting bid. Following are the tests that are required to be conducted during pre-dispatch inspection: LOAD TEST .INSPECTION AGENCY: The inspection agency will conduct the inspection and submit the certificate to the supplier as well as the buyers and consignees. The bidder will be solely responsible for pre-inspected material for Quality Assurance including pre-dispatch inspection/ testing at manufacturers site by Buyer / Consignee himself or their authorized representative / committee.
- 8.ISO 9001: The bidder must have ISO 9001 certification.
- 9. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 10. Preference to Make In India products: Preference shall be given to local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific

Engen

THEY SHEAT ...